


Lista sa podacima o proizvodima

Specifikacije



adapter za utično postolje - 4P - za NSX400..630

LV432585

Osnovne informacije

| | |
|--------------------------------|--|
| Tip proizvoda ili komponente | Adapter priključka |
| Pribor / posebna kategorija | Pribor za povezivanje |
| Kompatibilnost grupe proizvoda | Compact Compact NSX400 Compact Compact NSX630 Compact Compact NSX400 DC Compact Compact NSX630 DC |
| Broj polova | 4P |

Dopunske informacije

| | |
|---------------------|--------|
| Način montiranja | Utično |
| [in] nazivna struja | 630 A |

Pakovanje

| | |
|------------------------------|-----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 5,000 cm |
| Package 1 Width | 15,000 cm |
| Package 1 Length | 25,000 cm |
| Package 1 Weight | 283,000 g |
| Unit Type of Package 2 | S03 |
| Number of Units in Package 2 | 15 |
| Package 2 Height | 30,000 cm |
| Package 2 Width | 30,000 cm |
| Package 2 Length | 40,000 cm |
| Package 2 Weight | 4,645 kg |

Ugovorna garancija

| | |
|------------------------|----|
| Garancija (u mesecima) | 18 |
|------------------------|----|

Sve cene koje su navedene u ovom cenovniku su informativne i neobavezujuće, bez PDV-a, isključivo u odnosu na ovlašćene distributere kompanije Schneider Electric. Svi prikazi, opisi i tehničke specifikacije i podaci u ovom cenovniku su podložni promenama od strane kompanije Schneider Electric bez prethodne najave.

Schneider Electric namerava da postigne nulti status do 2050. godine kroz partnerstva sa lancem snabdevanja, materijale sa manjim uticajem i cirkularnost kroz našu tekuću kampanju "Use Better, Use Longer, Use Again" za produženje životnog veka proizvoda i reciklaže.

[Objašnjeni Environmental Data >](#)

[Kako procenjujemo održivost proizvoda >](#)

Ekološki otisak

| | |
|---|---|
| Ukupan životni vek ugljeničnog otiska | 2 kg CO2 eq. |
| Ugljenični otisak faze proizvodnje [A1–A3] | 1 kg CO2 eq. |
| Ugljenični otisak faze distribucije [A4] | 0 kg CO2 eq. |
| Ugljenični otisak faze instalacije [A5] | 0 kg CO2 eq. |
| Ugljenični otisak faze korišćenja [B2, B3, B4, B6] | 0 kg CO2 eq. |
| Ugljenični otisak faze kraja životnog ciklusa [C1–C4] | 0.4 kg CO2 eq. |
| Izjava o zaštiti okoliša | Profil ekološke prihvatljivosti proizvoda |

Use Better

Materijali i pakovanje

| | |
|------------------------------------|--|
| Pakovanje sa recikliranim kartonom | Da |
| Pakovanje bez plastike | Ne |
| SCIP broj | F50b8d40-d694-4811-96cc-3d752a3c6779 |
| Direktiva RoHS | Usklađenost Sa Oslobađanjem |
| Uredba REACh | Referenca sadrži SVHC iznad propisanog praga |
| Status bez halogena | Proizvod sadrži halogene iznad pragova |
| Bez PVC-a | Da |

Use Longer

Produženje trajanja veka

| | |
|----------|----|
| Popravka | Ne |
|----------|----|

Use Again

Prepakovanje i prefabrikovanje

| | |
|---------------------------------|--|
| Potencijal za recikliranje, u % | 60 |
| Profil cirkularnosti | Nema potrebe za namenskim operacijama recikliranja |
| Povraćaj | No |

Offer Marketing Illustration

Product benefits / Features



ComPacT NSX Technical Benefits

- Nominal current: 16 to 630 A and 9 breaking capacities for the 2 sizes of circuit breakers
- 1, 2, 3, and 4 pole versions available
- Large range of electronic and thermal-magnetic protections
- Plug and ready wiring system and communicating accessories
- Integrated earth leakage protection via MicroLogic Vigi (earth leakage circuit breaker - ELCB)
- Advanced trip unit with integrated power metering: I, U, P, E, THD, f, CosPhi

Offer Marketing Illustration

Product benefits / Features

ComPacT NSX Moulded Case Circuit Breaker



Protection begins with prevention

Designed to prevent an electrical fire through integrated earth leakage protection with preventive maintenance thanks to its Everlink power connections.



Maximize power availability

By providing corrective, preventive, and predictive maintenance for asset management thanks to our advanced MicroLogic trip units.



Connectivity

Designed to connect to EcoStruxure Power, an IoT-connected architecture for improving every aspect of your power distribution system.

