

# Lista sa podacima o proizvodima

Specifikacije



## Poklopna ploča za fiksni NW

LVS03711

### Osnovne informacije

Grupa proizvoda	PrismaSeT
Grupa proizvoda	PrismaSeT P
Tip proizvoda ili komponente	Prednja ploča
Pribor / posebna kategorija	Instalacioni pribor
Kompatibilnost grupe proizvoda	PrismaSeT PrismaSeT P kućište
Tip prednje ploče	Otvor
Instalirani uređaji	Masterpact: fiksno NW08...16 - kontrola: ručica - vertikalno instalacija Masterpact: fiksno NW20...25 - kontrola: ručica - vertikalno instalacija Masterpact: fiksno NW32 - kontrola: ručica - vertikalno instalacija
Opis polova	1 x 3P: montažna ploča nosač: NW08...16 vertikalno instalacija 1 x 4P: montažna ploča nosač: NW08...16 vertikalno instalacija 1 x 3P: montažna ploča nosač: NW20...25 vertikalno instalacija 1 x 4P: montažna ploča nosač: NW20...25 vertikalno instalacija 1 x 3P: montažna ploča nosač: NW32 vertikalno instalacija 1 x 4P: montažna ploča nosač: NW32 vertikalno instalacija
Radni položaj	Horizontalna

### Dopunske informacije

Opis kućišta/ormana	Kućište - širina 650 mm dubina 600 mm Kućište - širina 650 mm dubina 1000 mm
Pozicija priključka	Prednji priključci Povezivanje sa zadnje strane
Broj vertikalnih modula (50 mm)	9
Standardi	IEC 61439-1 IEC 61439-2
Sertifikacija proizvoda	ASTA
Materijal	Čelik
Tretman zaštite	Elektroforeza i vruće polimerizovan poliesterski epoksi prah
Završna obrada	Teksturom Mat
Boja	Bela (RAL 9003)
Širina	500 mm
Visina	450 mm
masa proizvoda	1,54 kg
Količina po setu	Set od 1

Sve cene koje su navedene u ovom cenovniku su informativne i neobavezujuće, bez PDV-a, isključivo u odnosu na ovlašćene distributere kompanije Schneider Electric. Svi prikazi, opisi i tehničke specifikacije i podaci u ovom cenovniku su podložni promenama od strane kompanije Schneider Electric bez prethodne najave.

<b>functional unit</b>	650 mm 600 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 3P 1 prednji priključci na adapter 18
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 3P 1 zadnji priključci na adapter 14
	650 mm 600 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 3P 1 prednji priključci na Canalis 27
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 3P 1 zadnji priključci na Canalis 16
	650 mm 600 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 3P 1 prednji priključci na sabirnicu 36
	650 mm 600 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 4P 1 prednji priključci na adapter 18
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 4P 1 zadnji priključci na adapter 14
	650 mm 600 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 4P 1 prednji priključci na Canalis 27
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 4P 1 zadnji priključci na Canalis 16
	650 mm 600 mm PrismaSeT P kućište Masterpact NW08...16 fiksno ručica vertikalno 4P 1 prednji priključci na sabirnicu 36
	650 mm 600 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 3P 1 prednji priključci na adapter 19
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 3P 1 zadnji priključci na adapter 14
	650 mm 600 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 3P 1 prednji priključci na Canalis 28
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 3P 1 zadnji priključci na Canalis 16
	650 mm 600 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 3P 1 prednji priključci na sabirnicu 36
	650 mm 600 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 4P 1 prednji priključci na adapter 19
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 4P 1 zadnji priključci na adapter 14
	650 mm 600 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 4P 1 prednji priključci na Canalis 28
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 4P 1 zadnji priključci na Canalis 16
	650 mm 600 mm PrismaSeT P kućište Masterpact NW20...25 fiksno ručica vertikalno 4P 1 prednji priključci na sabirnicu 36
	650 mm 600 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 3P 1 prednji priključci na adapter 19
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 3P 1 zadnji priključci na adapter 14
	650 mm 600 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 3P 1 prednji priključci na Canalis 28
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 3P 1 zadnji priključci na Canalis 16
	650 mm 600 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 3P 1 prednji priključci na sabirnicu 36
	650 mm 600 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 4P 1 prednji priključci na adapter 19
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 4P 1 zadnji priključci na adapter 14
	650 mm 600 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 4P 1 prednji priključci na Canalis 28
	650 mm 1000 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 4P 1 zadnji priključci na Canalis 16
	650 mm 600 mm PrismaSeT P kućište Masterpact NW32 fiksno ručica vertikalno 4P 1 prednji priključci na sabirnicu 36

## Pakovanje

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	2,000 cm
<b>Package 1 Width</b>	45,000 cm
<b>Package 1 Length</b>	50,000 cm
<b>Package 1 Weight</b>	1,585 kg
<b>Unit Type of Package 2</b>	BB1
<b>Number of Units in Package 2</b>	6

<b>Package 2 Height</b>	20,500 cm
<b>Package 2 Width</b>	52,000 cm
<b>Package 2 Length</b>	53,000 cm
<b>Package 2 Weight</b>	10,140 kg
<b>Unit Type of Package 3</b>	P12
<b>Number of Units in Package 3</b>	60
<b>Package 3 Height</b>	118,000 cm
<b>Package 3 Width</b>	80,000 cm
<b>Package 3 Length</b>	120,000 cm
<b>Package 3 Weight</b>	109,700 kg

## Ugovorna garancija

<b>Garancija (u mesecima)</b>	18
-------------------------------	----

Schneider Electric namerava da postigne nulti status do 2050. godine kroz partnerstva sa lancem snabdevanja, materijale sa manjim uticajem i cirkularnost kroz našu tekuću kampanju "Use Better, Use Longer, Use Again" za produženje životnog veka proizvoda i reciklaže.

[Objašnjeni Environmental Data >](#)

[Kako procenjujemo održivost proizvoda >](#)

### Ekološki otisak

Izjava o zaštiti okoliša

[Profil ekološke prihvatljivosti proizvoda](#)

## Use Better

### Materijali i pakovanje

Pakovanje sa recikliranim kartonom

Da

Pakovanje bez plastike

Da

Direktiva RoHS

[Usaglašeno](#)

Uredba REACH

[Referenca ne sadrži SVHC iznad propisanog praga](#)

Status bez halogena

Proizvod sa plastičnim delovima bez halogena

Bez PVC-a

Da

Bez silikona

Da

## Use Longer

### Produženje trajanja veka

Popravka

Ne

## Use Again

### Prepakovanje i prefabrikovanje

Profil cirkularnosti

Nema potrebe za namenskim operacijama recikliranja


Povraćaj

No

Technical Illustration

Dimensions

---



- All dimensions are approximate and are in  
- Also see technical documentation.