

Lista sa podacima o proizvodima

Specifikacije



Spacial CRN ravna vrata sa montažnom pločom V1000xŠ600xD250 IP66 IK10 RAL7035

NSYCRN106250P

Osnovne informacije

Grupa proizvoda	PanelSeT
Ime proizvoda	PanelSeT CRN
Primena uređaja	Više namena
Tip proizvoda ili komponente	Kompaktni orman
Nazivna visina ormara	1000 mm
Nazivna širina ormara	600 mm
Nazivna dubina ormara	250 mm
Tip dodatnog instalacionog pribora	Montaža na zid
Sastav uređaja	1 telo 1 ploča za kablovske uvednice 1 vrata sa bravom 1 montažna ploča
Tip vrata	Ravna
Opis montažne ploče	Ravna

Dopunske informacije

Specifičnost izvedbe	Zavareno na zad.delu sa dvostrukim profil.formirajući zaštićenu,zaptivenu oblast Strane napravljene od savijanjem jednog dela
Broj vrata	Prednji deo: 1 vrata
Otvaranje vrata	Reverzibilno (120 °)
Tip zaključavanja	Zaključavanje 3 mm dvostruki prerez
Tip uvedne ploče	Standardna
Dostupnost za operacije	Prednji deo
Odvajivi delovi	Vrata sa šarkama Ploča kablovskih uvednica sa zavrtnjima bez matice Montažna ploča sa elementom za fiksiranje
Materijal	Orman: čelik Montažnu ploču: galvanizovani čelik
Obrada površine	Orman: epoksi poliester prah
Boja	Orman: siva (RAL 7035)
Standardi	IEC 62208 UL CUL
Sertifikacija proizvoda	cUL UL DNV-GL

masa proizvoda

36 kg

Sve cene koje su navedene u ovom cenovniku su informativne i neobavezujuće, bez PDV-a, isključivo u odnosu na ovlašćene distributere kompanije Schneider Electric. Svi prikazi, opisi i tehničke specifikacije i podaci u ovom cenovniku su podložni promenama od strane kompanije Schneider Electric bez prethodne najave.

Okruženje

Ip stepen zaštite	IP66 u skladu sa IEC 60529
-------------------	----------------------------

Ik stepen zaštite	IK10 u skladu sa IEC 62262
-------------------	----------------------------

Pakovanje

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	27,000 cm
------------------	-----------

Package 1 Width	61,000 cm
-----------------	-----------

Package 1 Length	110,500 cm
------------------	------------

Package 1 Weight	33,000 kg
------------------	-----------

Unit Type of Package 2	PAM
------------------------	-----

Number of Units in Package 2	8
------------------------------	---

Package 2 Height	136,000 cm
------------------	------------

Package 2 Width	100,000 cm
-----------------	------------

Package 2 Length	120,000 cm
------------------	------------

Package 2 Weight	276,000 kg
------------------	------------

Ugovorna garancija

Garancija (u mesecima)	18
------------------------	----

Schneider Electric namerava da postigne nulti status do 2050. godine kroz partnerstva sa lancem snabdevanja, materijale sa manjim uticajem i cirkularnost kroz našu tekuću kampanju "Use Better, Use Longer, Use Again" za produženje životnog veka proizvoda i reciklaže.

[Objašnjeni Environmental Data >](#)

[Kako procenjujemo održivost proizvoda >](#)

Ekološki otisak

Ukupan životni vek ugljeničnog otiska	311 kg CO2 eq.
Ugljenični otisak faze proizvodnje [A1–A3]	161 kg CO2 eq.
Ugljenični otisak faze distribucije [A4]	66 kg CO2 eq.
Ugljenični otisak faze instalacije [A5]	7 kg CO2 eq.
Ugljenični otisak faze korišćenja [B2, B3, B4, B6]	0 kg CO2 eq.
Ugljenični otisak faze kraja životnog ciklusa [C1–C4]	78 kg CO2 eq.
Izjava o zaštiti okoliša	Profil ekološke prihvatljivosti proizvoda

Use Better

Materijali i pakovanje

Pakovanje sa recikliranim kartonom	Ne
Pakovanje bez plastike	Ne
SCIP broj	E893f0a0-d2cc-4011-9425-3873dde70142
Direktiva RoHS	Usaglašeno
Uredba REACh	Referenca ne sadrži SVHC iznad propisanog praga
Bez PVC-a	Da
Bez silikona	Da

Use Longer

Produženje trajanja veka

Popravka	Ne
----------	----


Use Again

Prepakovanje i prefabrikovanje

Potencijal za recikliranje, u %	98
Profil cirkularnosti	Nema potrebe za namenskim operacijama recikliranja
Povraćaj	No

Technical Illustration

Dimensions



Offer Marketing Illustration

Product benefits / Features

Sturdy components' protection

Earthing studs included

Large choice of dimensions & accessories

Quality & aesthetics

Easy to equip
Easy to maintain

Built to last

Image of product in real life situation

