

Lista sa podacima o proizvodima

Specifikacije



Push-button, 4-gang plus, active white, glossy, System M

MTN617425

Osnovne informacije

Grupa proizvoda	SpaceLogic KNX
Tip proizvoda ili komponente	Taster
Tip komunikacije	KNX
nijansa boje	Active white
Napajanje strujnog ulaza	7,5 mA

Dopunske informacije

Montaža uređaja	Ugradno
Broj funkcijskih tastera	8
Lokalna signalizacija	LED
Položaj oznake	Označavanje na nosaču oznake
Materijal	Plastika blistav
nijansa boje	Active white
Obrada površine	Antibakterijska
Prezentacija uređaja	Mechanism with fixing frame and cover plate

Okruženje

Ip stepen zaštite	UKCA sertifikacija
-------------------	--------------------

Pakovanje

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4,400 cm
Package 1 Width	7,400 cm
Package 1 Length	7,900 cm
Package 1 Weight	66,000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	60
Package 2 Height	19,900 cm
Package 2 Width	30,300 cm
Package 2 Length	40,400 cm
Package 2 Weight	4,306 kg

Sve cene koje su navedene u ovom cenovniku su informativne i neobavezujuće, bez PDV-a, isključivo u odnosu na ovlašćene distributere kompanije Schneider Electric. Svi prikazi, opisi i tehničke specifikacije i podaci u ovom cenovniku su podložni promenama od strane kompanije Schneider Electric bez prethodne najave.

Ugovorna garancija

Garancija (u mesecima)

18

Schneider Electric namerava da postigne nulti status do 2050. godine kroz partnerstva sa lancem snabdevanja, materijale sa manjim uticajem i cirkularnost kroz našu tekuću kampanju "Use Better, Use Longer, Use Again" za produženje životnog veka proizvoda i reciklaže.

[Objašnjeni Environmental Data >](#)

[Kako procenjujemo održivost proizvoda >](#)

Ekološki otisak

Izjava o zaštiti okoliša

[Profil ekološke prihvatljivosti proizvoda](#)

Use Better

Materijali i pakovanje

Pakovanje sa recikliranim kartonom

Ne

Pakovanje bez plastike

Ne

SCIP broj

8baa1bd8-8da4-4d84-953d-349bb0677982

Direktiva RoHS

[Usklađenost Sa Oslobađanjem](#)

Uredba REACH

[Referenca sadrži SVHC iznad propisanog praga](#)

Use Longer

Produženje trajanja veka

Popravka

Ne

Use Again

Prepakovanje i prefabrikovanje

Profil cirkularnosti

[Informacije o kraju radnog veka](#)

Povraćaj

No


WEEE oznaka



Ovaj proizvod je na tržištima Evropske unije neophodno odložiti u skladu sa specifičnim smernicama za prikupljanje otpada i nikako ne sme da dospe u kontejnere za otpatke.

Technical Illustration

Wiring diagram



▲ ▲ DANGER

HAZARD OF ELECTRIC SHOCK, EXPLOSION OR ARC FLASH

The product must be installed and connected by a qualified electrician.
A qualified electrician must demonstrate an in-depth knowledge of:

- Construction of electrical installations in buildings in accordance with IEC 60364
- Additional safety standards, local connection rules, and building regulations
- Standardized tools and measuring equipment

Failure to follow these instructions will result in death or serious injury.