

# Lista sa podacima o proizvodima

Specifikacije



držač oznaka 30 x 50 mm sa  
neobeleženom natpisom 18 x 27  
mm

ZBY6101

## Osnovne informacije

Tip proizvoda ili komponente	Nosač oznake
Pribor / posebna kategorija	Pribor za označavanje

## Dopunske informacije

Materijal	Plastika
Sastav uređaja	Prazna natpisna pločica Nosač oznake
Pribor / posebna namena	Ø 22 mm upravljačka ili signalna jedinica sa kvadratnom glavom Ø 22 mm upravljačka ili signalna jedinica sa kružnom glavom Za standardnu glavu
Colour	Tamnosiva
Kompatibilnost grupe proizvoda	Harmony XB4 Harmony XB5
Veličina držača natpisne pločice	30 x 50 mm
Označavanje	neoznačeno na 1 crna, 1 crvena pozadina
Prodaja po nedeljivim količinama	10
masa proizvoda	0,002 kg

## Pakovanje

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0,400 cm
Package 1 Width	3,000 cm
Package 1 Length	5,000 cm
Package 1 Weight	1,100 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1,500 cm
Package 2 Width	8,000 cm
Package 2 Length	11,000 cm
Package 2 Weight	19,000 g
Unit Type of Package 3	S01
Number of Units in Package 3	400

Package 3 Height 15,000 cm  
Sve cene koje su navedene u ovom cenovniku su informativne i neobavezujuće, bez PDV-a, isključivo u odnosu na ovlašćene distributere kompanije Schneider Electric. Svi prikazi, opisi i tehničke specifikacije i podaci u ovom cenovniku su podložni promenama od strane kompanije Schneider Electric bez prethodne najave.

---

Package 3 Width	15,000 cm
Package 3 Length	40,000 cm
Package 3 Weight	931,000 g

---

## Ugovorna garancija

---

Garancija (u mesecima)	18
------------------------	----

Schneider Electric namerava da postigne nulti status do 2050. godine kroz partnerstva sa lancem snabdevanja, materijale sa manjim uticajem i cirkularnost kroz našu tekuću kampanju "Use Better, Use Longer, Use Again" za produženje životnog veka proizvoda i reciklaže.

[Objašnjeni Environmental Data >](#)

[Kako procenjujemo održivost proizvoda >](#)

### Ekološki otisak

Ukupan životni vek ugljeničnog otiska	0 kg CO2 eq.
Ugljenični otisak faze proizvodnje [A1–A3]	0 kg CO2 eq.
Ugljenični otisak faze distribucije [A4]	0 kg CO2 eq.
Ugljenični otisak faze instalacije [A5]	0 kg CO2 eq.
Ugljenični otisak faze korišćenja [B2, B3, B4, B6]	0 kg CO2 eq.
Ugljenični otisak faze kraja životnog ciklusa [C1–C4]	0 kg CO2 eq.
Izjava o zaštiti okoliša	<a href="#">Profil ekološke prihvatljivosti proizvoda</a>

### Use Better

#### Materijali i pakovanje

Pakovanje sa recikliranim kartonom	Da
Pakovanje bez plastike	Ne
Direktiva RoHS	<a href="#">Usaglašeno</a>
Uredba REACH	<a href="#">Referenca ne sadrži SVHC iznad propisanog praga</a>

### Use Longer

#### Produženje trajanja veka

Popravka	Ne
----------	----

### Use Again

#### Prepakovanje i prefabrikovanje

Potencijal za recikliranje, u %	0
Profil cirkularnosti	Nema potrebe za namenskim operacijama recikliranja
Povraćaj	No


Offer Marketing Illustration

Product benefits / Features

---

## Technical Benefits


### Harmony XB4



Offer Marketing Illustration

Product benefits / Features

---



The infographic features a central image of a red Schneider XB4 terminal block. Surrounding it are five circular icons, each with a corresponding text description of a feature. The background is a solid green color.

### Features Harmony XB4






-  Quick and easy assembly and disassembly
-  Various types of connection: screw clamp, connector, Faston connector, spring terminal, or printed circuit board
-  Excellent mechanical connection with operator head
-  Large set of accessories to customize your panels
-  Robustness to withstand harsh environments

Image of product / Alternate images

Alternative

---

